

DePHOS H-66-872

DePHOS H-66-872 is the potassium salt of an anionic phosphate ester, derived from an aromatic ethoxylate. It's a highly effective, very low foaming hydrotrope for acid and alkaline systems.

SPECIFICATIONS

Appearance @ 25°C:	Clear, light yellow liquid
Color (Gardner):	4 max.
% Activity:	50% min.
pH (5% in DI water):	8.0 -10.0

SOLUBILITY DePHOS H-66-872 is soluble in water, alcohols and glycols. It is insoluble in oils and solvents.

TYPICAL PROPERTIES

Density @ 25°C 1.20 – 1.26 g/ml

- Excellent caustic, alkaline electrolyte and acid stability
- Hydrotrope for nonionic surfactants in alkaline and acid systems
- Economical
- Acid stability
- Low foam

APPLICATIONS

- Alkaline and acid cleaners
- Low foam, high pressure detergents
- Acidic concrete cleaners
- Bottle washing
- Low foam spray metal cleaners
- Metalworking formulations


Continued

6501 Congress Avenue, Suite 100 • Boca Raton, FL 33487 • (561) 994-9696 • FAX (561) 994-9995
www.DeForestEnterprises.com • info@DeForestent.com

The information and suggestions given are drawn from data we believe to be reliable, but in all cases the user should check and confirm the suggestions and results in his/her own use before proceeding further. DeFOREST Enterprises, Inc. offers no warranties other than to guarantee the products are manufactured to specifications and cannot assume any liability or risk involved in the use of our products since these conditions of use are beyond our control. None of the suggestions or recommendations constitute freedom from any patents that may be existent in the field or be issued.


CLOUD POINT DATA for DePHOS H-66-872

A series of cloud point tests were performed and compared to sodium xylene sulfonate. The hydrotropes were solubilized in caustic or alkaline electrolyte solutions to which a 9.5 mole nonyl phenol ethoxylate was added. Each sample was heated to the temperature at which the nonionic clouds out of solution. The higher the cloud point temperature, the more efficient the hydrotrope. The control is 1% NPE-9.5 without hydrotrope added.



FOAM HEIGHT DATA for DePHOS H-66-872

Foam height was determined using a modified Ross-Miles graduated cylinder shake test. The data is presented in the following graphs and compared to competitive phosphate esters and sodium xylene sulfonate.





Continued

6501 Congress Avenue, Suite 100 • Boca Raton, FL 33487 • (561) 994-9696 • FAX (561) 994-9995
www.DeForestEnterprises.com • info@DeForestent.com

The information and suggestions given are drawn from data we believe to be reliable, but in all cases the user should check and confirm the suggestions and results in his/her own use before proceeding further. DeFOREST Enterprises, Inc. offers no warranties other than to guarantee the products are manufactured to specifications and cannot assume any liability or risk involved in the use of our products since these conditions of use are beyond our control. None of the suggestions or recommendations constitute freedom from any patents that may be existent in the field or be issued.

FOAM HEIGHT DATA for DePHOS H-66-872



6501 Congress Avenue, Suite 100 • Boca Raton, FL 33487 • (561) 994-9696 • FAX (561) 994-9995

www.DeForestEnterprises.com • info@DeForestent.com

The information and suggestions given are drawn from data we believe to be reliable, but in all cases the user should check and confirm the suggestions and results in his/her own use before proceeding further. DeFOREST Enterprises, Inc. offers no warranties other than to guarantee the products are manufactured to specifications and cannot assume any liability or risk involved in the use of our products since these conditions of use are beyond our control. None of the suggestions or recommendations constitute freedom from any patents that may be existent in the field or be issued.