



## DeTERGE CS-45LF & DeTERGE CS-45LF MOD

**DeTERGE CS-45LF & CS-45LF MOD** are low foaming, chlorine stable, anionic surfactants for use in products containing up to 15% active caustic and other alkaline electrolytes. Both products are designed for use in alkaline systems only and are not recommended for use in acid systems.

### SPECIFICATIONS

### DeTERGE CS-45LF

### DeTERGE CS-45LF MOD

Appearance @ 25°C:	Clear almost colorless liquid	Clear almost colorless liquid
pH (5% in DI water):	9.0 – 11.0	6.0 – 7.0
% Activity:	43 +/- 1.5%	43+/-1.0%
Color (Gardner):	1 max.	1 max

**SOLUBILITY** (at 10% by weight): Soluble in water, alcohols and glycols and insoluble/dispersible in most solvents.

### TYPICAL PROPERTIES

Density @ 25°C ~1.06 g/ml

- Chlorine stable
- Very low foaming (low flash foam)
- Emulsifier
- Hydrotrope
- Good detergency & wetting
- Dispersant
- Biodegradable
- Hard water stable
- Excellent caustic & alkaline electrolyte stability
- Cloud point >90°C @ 1% by weight in DI water

### APPLICATIONS

- Alkaline, low foaming, automatic dishwashing detergents
- Highly alkaline food plant cleaners
- Chlorine containing cleaners
- Primary surfactant or hydrotrope in low foaming alkaline cleaners
- Stable for use in dry caustic formulations
- Industrial laundry detergents
- Metalworking fluids


Amtec Center • 6421 Congress Avenue • Boca Raton, FL 33487 • (561) 994-9696 • FAX (561) 994-9995  
[www.DeForestEnterprises.com](http://www.DeForestEnterprises.com) • [info@DeForestent.com](mailto:info@DeForestent.com)

The information and suggestions given are drawn from data we believe to be reliable, but in all cases the user should check and confirm the suggestions and results in his/her own use before proceeding further. DeFOREST Enterprises, Inc. offers no warranties other than to guarantee the products are manufactured to specifications and cannot assume any liability or risk involved in the use of our products since these conditions of use are beyond our control. None of the suggestions or recommendations constitute freedom from any patents that may be existent in the field or be issued.

Continued


### DYNAMIC SURFACE TENSION of DeTERGE CS-45LF

The graph below depicts the dynamic surface tension of 1% by weight DeTERGE CS-45LF in deionized water compared to alkyldiphenyloxide disulfonates surfactants.



### CHLORINE STABILITY

The stability of sodium hypochlorite in the presence of 5% by weight DeTERGE CS-45LF was determined by quantitative analysis. Solutions were stored at ambient temperature and the percent available chlorine was determined over the course of 12 months.



**Control:** 45% Tap water, 45% sodium hypochlorite (12.5% active), 10% NaOH (50% active)

**Test Formulation:** 45% Tap water, 42.5% sodium hypochlorite (12.5% active), 10% NaOH (50% active), 5% DeTERGE CS-45LF

Amtec Center • 6421 Congress Avenue • Boca Raton, FL 33487 • (561) 994-9696 • FAX (561) 994-9995  
[www.DeForestEnterprises.com](http://www.DeForestEnterprises.com) • [info@DeForestent.com](mailto:info@DeForestent.com)



The information and suggestions given are drawn from data we believe to be reliable, but in all cases the user should check and confirm the suggestions and results in his/her own use before proceeding further. DeFOREST Enterprises, Inc. offers no warranties other than to guarantee the products are manufactured to specifications and cannot assume any liability or risk involved in the use of our products since these conditions of use are beyond our control. None of the suggestions or recommendations constitute freedom from any patents that may be existent in the field or be issued.

Continued

**DeTERGE CS-45LF FOAM HEIGHT DATA** (continued)


Foam height comparisons were made by modified Ross-Miles graduated cylinder shake test using 1% by weight surfactant in deionized water, 5% NaOH, and 5% KOH under the conditions noted below.

**Foam Height in Deionized Water**



**Foam Height in 5% Active NaOH**


The information and suggestions given are drawn from data we believe to be reliable, but in all cases the user should check and confirm the suggestions and results in his/her own use before proceeding further. DeFOREST Enterprises, Inc. offers no warranties other than to guarantee the products are manufactured to specifications and cannot assume any liability or risk involved in the use of our products since these conditions of use are beyond our control. None of the suggestions or recommendations constitute freedom from any patents that may be existent in the field or be issued.




Continued


**DeTERGE CS-45LF FOAM HEIGHT DATA**

**Foam Height in 5% Active NaOH**



**Foam Height in 5% Active KOH**





Amtec Center • 6421 Congress Avenue • Boca Raton, FL 33487 • (561) 994-9696 • FAX (561) 994-9995

[www.DeForestEnterprises.com](http://www.DeForestEnterprises.com) • [info@DeForestent.com](mailto:info@DeForestent.com)

The information and suggestions given are drawn from data we believe to be reliable, but in all cases the user should check and confirm the suggestions and results in his/her own use before proceeding further. DeFOREST Enterprises, Inc. offers no warranties other than to guarantee the products are manufactured to specifications and cannot assume any liability or risk involved in the use of our products since these conditions of use are beyond our control. None of the suggestions or recommendations constitute freedom from any patents that may be existent in the field or be issued.